PARALLELS

RP-E-2104



Rakumba

WWW.RAKUMBA.COM SALES@RAKUMBA.COM

ALL RIGHTS RESERVED © RAKUMBA, 2021

<u>Rakumba</u>








"In pure architecture the smallest detail should have a

Augustus W. N. Pugin



"Our opportunity, as designers, is to learn how to handle the complexity, rather than shy away from it, and to realize that the big art of design is to make complicated things simple."



– Tim Parsey




PARALLELS

RP-E-2104

A rigorous thought experiment in reductive, minimalist design. The Parallels series of contemporary pendant and wall luminaires pares back all unnecessary detailing to champion an elegant elliptical profile of carefully refined proportions.

Shifting in silhouette as the gaze of the viewer travels around it, this oval form becomes a powerful element within multi-pendant arrangements, bringing life and contrast to each composition.

Parallels' design language speaks softly, allowing the carefully considered detailing and curated range of finishes to complement the most exceptional architectural spaces. For the advanced designer, length and finish can be completely customised for a bespoke touch.



Parallels' adaptability is more than skin deep, incorporating the trademark Rakumba fusion of decorative design and cutting edge technology. Showcasing the latest generation of premium quality integrated LEDs, lighting designers are afforded the rare option to illuminate both down and upwards, even in pendant form.

Parallels: the go-to product for every project.



"An interesting plainness is the most difficult and precious thing to achieve."

Mies Van Der Rohe



MATERIALS & FINISHES



ANODISED BLACK



POWDERCOAT WHITE



POWDERCOAT BRONZE

CUSTOM FINISHES AVAILABLE

MODELS

PENDANT 400 RP-E-2104-P4


WALL 400 RP-E-2104-W4

CUSTOM LENGTHS AVAILABLE

ILLUMINATION



DOWN LIGHTING





DOWN & UP LIGHTING



OPTIONS

PENDANT		
LENGTH (mm):	0 0 0	400 700 CUSTOM LENGTHS (200-2
FINISH:	0 0 0	ANODISED BLACK POWDERCOAT WHITE POWDERCOAT BRONZE CUSTOM POWDERCOAT
ILLUMINATION:	0 0	DOWN LIGHTING DOWN & UP LIGHTING
BEAM ANGLE:	0 0	30° 60°
DIMMING:	0 0 0	PHASE CUT/TRIAC (INTERI PHASE CUT/TRIAC (REMO DALI/SWITCH-DIM (REMOT
SUSPENSION LENGTH:	0 0 0	2M 5M CUSTOM (MAX 10M)
SEAMLESS CANOPY:	0 0 0 0	BLACK WHITE SILVER BRASS

	WALL			
	LENGTH (mm):	0 0 0	400 700 CUSTOM LENGTHS (200-20	
-	FINISH:	0 0 0 0	ANODISED BLACK POWDERCOAT WHITE POWDERCOAT BRONZE CUSTOM POWDERCOAT	
-	ILLUMINATION:	0 0	DOWN LIGHTING DOWN & UP LIGHTING	
	BEAM ANGLE:	0 0	30° 60°	
-	DIMMING:	0 0 0	PHASE CUT/TRIAC (INTERN PHASE CUT/TRIAC (REMOT DALI/SWITCH-DIM (REMOT	


16

200-2000)	
	-
Ē	
NZE	
OAT	
	-
IG	
	-
	_
NTERNAL DRIVER)	
REMOTE DRIVER)	
EMOTE DRIVER)	
	-
	-
200-2000)	
E	
NZE	
OAT	
G	

RNAL DRIVER) DTE DRIVER) ITE DRIVER)

DIMENSIONS

DATA



PENDANT DOWN LIGHTINGPENDANT DOWN & UP LIGHTINGILGHTSOURCEINTEGRATED LEDPOWER5.6W11.2WLUMENS (SOURCE)633lm1266lmLUMENS (DELIVERED)COLOUR TEMPERATURE2700KCRICRI90PRIMARY VOLTAGE (TO DRIVER)220-240VACSECONDARY CURRENT (TO FITTING)500mA CONSTANT CURRENTPRODUCT WEIGHT400mm: 0.5kg, 700mm: 1kgPACKED WEIGHT400mm: 1.5kg, 700mm: 2kgPACKED DIMENSIONSDRIVER LOCATION: DALI / SWITCH-DIM OPTIONREMOTE OR INTERNALREMOTE OR INTERNALIP RATINGIP20120L7050,000 HOURSAUSTRALIA, EUROPE			
POWER5.6W11.2WLUMENS (SOURCE)633lm1266lmLUMENS (DELIVERED)COLOUR TEMPERATURE2700KCRICRI90PRIMARY VOLTAGE (TO DRIVER)220-240VACSECONDARY CURRENT (TO FITTING)500mA CONSTANT CURRENTPRODUCT WEIGHT400mm: 0.5kg, 700mm: 1kgPACKED WEIGHT400mm: 1.5kg, 700mm: 2kgPACKED DIMENSIONSDRIVER LOCATION: PHASE CUT/TRIAC OPTIONREMOTE OR INTERNALREMOTE OR INTERNALDRIVER LOCATION: DALI / SWITCH-DIM OPTIONREMOTEREMOTEIP RATINGIP2017050,000 HOURS	RP-E-2104	DOWN	DOWN & UP
LUMENS (SOURCE)633lm1266lmLUMENS (DELIVERED)COLOUR TEMPERATURE2700KCRICRI90PRIMARY VOLTAGE (TO DRIVER)220-240VACSECONDARY CURRENT (TO FITTING)500mA CONSTANT CURRENTPRODUCT WEIGHT400mm: 0.5kg, 700mm: 1kgPACKED WEIGHT400mm: 1.5kg, 700mm: 2kgPACKED DIMENSIONSDRIVER LOCATION: PHASE CUT/TRIAC OPTIONREMOTE OR INTERNALDRIVER LOCATION: DALI / SWITCH-DIM OPTIONREMOTEIP RATINGIP20L7050,000 HOURS	LIGHTSOURCE	INTEGRATED LED	
LUMENS (DELIVERED)-COLOUR TEMPERATURE2700KCRICRI90PRIMARY VOLTAGE (TO DRIVER)220-240VACSECONDARY CURRENT (TO FITTING)500mA CONSTANT CURRENTPRODUCT WEIGHT400mm: 0.5kg, 700mm: 1kgPACKED WEIGHT400mm: 1.5kg, 700mm: 2kgPACKED DIMENSIONSDRIVER LOCATION: PHASE CUT/TRIAC OPTIONREMOTE OR INTERNALREMOTE OR INTERNALDRIVER LOCATION: DALI / SWITCH-DIM OPTIONREMOTEIP RATINGIP20L7050,000 HOURS	POWER	5.6W	11.2W
COLOUR TEMPERATURE2700KCRICRI90PRIMARY VOLTAGE (TO DRIVER)220-240VACSECONDARY CURRENT (TO FITTING)500mA CONSTANT CURRENTPRODUCT WEIGHT400mm: 0.5kg, 700mm: 1kgPACKED WEIGHT400mm: 1.5kg, 700mm: 2kgPACKED DIMENSIONSDRIVER LOCATION: PHASE CUT/TRIAC OPTIONREMOTE OR INTERNALDRIVER LOCATION: DALI / SWITCH-DIM OPTIONREMOTEIP RATINGIP20L7050,000 HOURS	LUMENS (SOURCE)	633lm	1266lm
CRICRI90PRIMARY VOLTAGE (TO DRIVER)220-240VACSECONDARY CURRENT (TO FITTING)500mA CONSTANT CURRENTPRODUCT WEIGHT400mm: 0.5kg, 700mm: 1kgPACKED WEIGHT400mm: 1.5kg, 700mm: 2kgPACKED DIMENSIONSDRIVER LOCATION: PHASE CUT/TRIAC OPTIONREMOTE OR INTERNALDRIVER LOCATION: DALI / SWITCH-DIM OPTIONREMOTEIP RATINGIP20L7050,000 HOURS	LUMENS (DELIVERED)	-	-
PRIMARY VOLTAGE (TO DRIVER)220-240VACSECONDARY CURRENT (TO FITTING)500mA CONSTANT CURRENTPRODUCT WEIGHT400mm: 0.5kg, 700mm: 1kgPACKED WEIGHT400mm: 1.5kg, 700mm: 2kgPACKED DIMENSIONSDRIVER LOCATION: PHASE CUT/TRIAC OPTIONREMOTE OR INTERNALDRIVER LOCATION: DALI / SWITCH-DIM OPTIONREMOTEIP RATINGIP20L7050,000 HOURS	COLOUR TEMPERATURE	2700K	
(TO DRIVER) ELEO ETOTATE SECONDARY CURRENT (TO FITTING) 500mA CONSTANT CURRENT PRODUCT WEIGHT 400mm: 0.5kg, 700mm: 1kg PACKED WEIGHT 400mm: 1.5kg, 700mm: 2kg PACKED DIMENSIONS - DRIVER LOCATION: REMOTE OR INTERNAL PHASE CUT/TRIAC OPTION REMOTE DRIVER LOCATION: REMOTE DALI / SWITCH-DIM OPTION IP20 L70 50,000 HOURS	CRI	220-240VAC 500mA CONSTANT CURRENT 400mm: 0.5kg, 700mm: 1kg	
(TO FITTING) 400mm: 0.5kg, 700mm: 1kg PRODUCT WEIGHT 400mm: 0.5kg, 700mm: 1kg PACKED WEIGHT 400mm: 1.5kg, 700mm: 2kg PACKED DIMENSIONS - DRIVER LOCATION: REMOTE OR PHASE CUT/TRIAC OPTION INTERNAL DRIVER LOCATION: REMOTE DRIVER LOCATION: REMOTE INTERNAL INTERNAL DRIVER LOCATION: REMOTE DALI / SWITCH-DIM OPTION IP20 L70 50,000 HOURS			
PACKED WEIGHT 400mm: 1.5kg, 700mm: 2kg PACKED DIMENSIONS - DRIVER LOCATION: REMOTE OR PHASE CUT/TRIAC OPTION INTERNAL DRIVER LOCATION: REMOTE DRIVER LOCATION: REMOTE INTERNAL INTERNAL DRIVER LOCATION: REMOTE IP RATING IP20 L70 50,000 HOURS			
PACKED DIMENSIONS - DRIVER LOCATION: REMOTE OR PHASE CUT/TRIAC OPTION INTERNAL DRIVER LOCATION: REMOTE DALI / SWITCH-DIM OPTION IP20 L70 50,000 HOURS	PRODUCT WEIGHT		
DRIVER LOCATION: REMOTE OR INTERNAL PHASE CUT/TRIAC OPTION INTERNAL INTERNAL DRIVER LOCATION: REMOTE REMOTE DALI / SWITCH-DIM OPTION IP20 L70 50,000 HOURS	PACKED WEIGHT		
PHASE CUT/TRIAC OPTION INTERNAL INTERNAL DRIVER LOCATION: REMOTE REMOTE DALI / SWITCH-DIM OPTION IP20 L70 50,000 HOURS	PACKED DIMENSIONS	-	-
DALI / SWITCH-DIM OPTION IP20 IP RATING IP20 L70 50,000 HOURS			
L70 50,000 HOURS		REMOTE	REMOTE
	IP RATING	IP20	
APPROVALS AUSTRALIA, EUROPE	L70	50,000 HOURS	
	APPROVALS	AUSTRALIA, EURO	PE

50

54

18

WALL DOWN LIGHTING	WALL DOWN & UP LIGHTING
5.6W	11.2W
633lm	1266lm
-	-
-	-
REMOTE OR INTERNAL	REMOTE OR INTERNAL
REMOTE	REMOTE



















RAKUMBA **DESIGN TEAM**

offer.

The phrase 'Making Beauty' truly represents why we do what we do. We're passionate about lighting and about authentic design.

Rakumba's design team is focused on beauty, detail and going beyond the ordinary. Rakumba Design is present at every stage of making the beautiful decorative lighting we

Our people all contribute to the design thinking behind our products, ensuring that the collaboration we value reflects individual expertise and experience. We collectively solve problems and manage risk through a design-led approach, which is critical to our advancement and progress in lighting design, manufacturing and technological integration.

We think it's important for every product to have its own story. We concentrate on narrative and form, materiality and manufacturing techniques. It's all part of our ethos of uncompromisingly driving for perfection, achieving complex products that appear effortless.

At Rakumba, design is critical to making beauty.