

Parrot Floor

Parrot Floor ist die flexible Stehleuchte aus eloxiertem Aluminium. Ihr um 360° endlos drehbarer Kopf ermöglicht flexible Beleuchtung – von fokussiertem Leselicht bis hin zu sanfter Ambientebeleuchtung.

Vibes (dynamische Lichtszenen) und Sunset Dimming (blaufreies Licht) schaffen eine gemütliche Atmosphäre und fördern den Schlaf. Die Parrot Floor Portable ist die mobile Version und lässt sich mit dem Ladestein laden. Der tangential auf dem Schaft liegende Kopf gibt dem Design seine skulpturale Erscheinung.

Designed und gefertigt am GRAU Campus in Deutschland.

Farben

Farben	Artikelnummer
● Black Brass	PAM1-50
● Silver	PAM1-60
● Polished	PAM1-99

Dimensionen



Body

Maße Verpackung (L x B x H)	124cm x 33cm x 34cm
Material	Aluminium
Oberfläche	Eloxiert
Gewicht	2,7kg
Gewicht inkl. Verpackung	6kg
Höhenverstellbar	Nein
Leuchtenkopf beweglich	Ja
Akkulaufzeit	8h
Akku Ladeanzeige	Ja
Akku Ladezeit	8h
Ladekabel und Netzteil im Lieferumfang enthalten	Nein
Montageart	Freistehend
Nennspannung	220-240V
Leistungsaufnahme	10W
Leuchteneffizienz	60lm/W
Länge Anschlussleitung	1m
Schutzklasse	II
Artikelnummer	PAM1-50

Licht

Leuchtmittel	LED
Leuchtenlichtstrom	500 lm
Farbwiedergabeindex	CRI 90
Lichtaustritt	Direkt
Abstrahlwinkel	70°
Lichtverteilung	Symmetrisch
Farbtemperatur	2600K-2000K 1400-1100K
Lichtfarbe	Reading Light, Fire Vibe
Dimmbar	Ja
Dimmer integriert	Ja
Art der Dimmung	Integrierter Taster

Parrot Floor

Parrot Floor is the flexible floor lamp made of anodized aluminum. Its 360° endlessly rotatable head provides flexible lighting – from focused reading light to soft ambient lighting.

Vibes (dynamic lighting scenes) and Sunset Dimming (blue-free light) create a cozy atmosphere and promote sleep. The tangential head on the shaft gives the design its playful and iconic appearance.

Designed and manufactured at the GRAU Campus in Germany.

Colors

Colors	SKU
● Black Brass	PAM1-50
● Silver	PAM1-60
● Polished	PAM1-99

Dimensions



Body

Packaging dimensions (L x W x H)	124cm x 33cm x 34cm
Material	Aluminum
Surface	Anodized
Weight	2.7kg
Weight incl. packaging	6kg
Height adjustable	No
Movable lamp head	Yes
Battery life	8h
Battery charge indicator	No
Battery charging time	8h
Charging cable and power supply unit included	No
Mounting type	Floor
Rated voltage	220-240V
Power consumption	10W
Luminaire efficiency	60lm/w
Length of connection cable	1m
Protection class	II
SKU	PAM1-50

Light

Light source	LED
Luminous flux	500 lm
Color rendering index	CRI 90
Light emission	Direct
Beam angle	70°
Light distribution	Symmetric
Color temperature	2600K-2000K I 1400-1100K
Light color	Reading Light, Fire Vibe
Dimmable	Yes
Dimmer integrated	Yes
Type of dimming	Integrated pushbutton