





■ TWIST OPERATIVE
















TW53


RETURNS


TWIN & MEETING DESKS




MEETING TABLES









_ Ø 100 -TW70


-306-


TW286

With 3 D-end




■ TWIST - GEN 80









Extension desk-top Extension top for 2 pedestals





TW76 End pedestal access on both sides





TW77 Extension pedestal with scallops to allow cables through and access on

both sides




TW32 Mobile pedestal with cushion

■ TWIST - GEN 100

Extension desk-top

Extension top for 1 pedestal












pedestals






TW75 End pedestal access on both sides





TW77 Transition pedestal with scallops to allow cables through and access on both sides



-315-

TW32

Mobile pedestal with cushion

TW216

Transition desk-top


Transition top for 1

pedestal




■ TWIST VIDEO-CONFERENCE


VIDEO-CONFERENCE UNIT: 74 cm HEIGHT WITH SCREEN TO ALLOCATE MONITOR




VIDEO-CONFERENCE UNIT: 100 cm HEIGHT WITH SCREEN TO ALLOCATE MONITOR




VIDEO-CONFERENCE TABLE 74 cm HEIGHT



VIDEO-CONFERENCE TABLE 100 cm HEIGHT





FREESTANDING VIDEO-CONFERENCE CADDY ON CASTORS




■ TWIST SPINE

DESK SUPPORTED TO SPINE - ORGANIC MODULES






OVERHEAD STORAGE FOR USE WITH SPINE MODULES - LINEAR MODULES



SPINE AUXILIARY MODULES & ACCESSORIES - LINEAR MODULES





TWIST - Individual desks, Twin desks and Meeting tables





■ FEATURES

- ① Cast aluminium legs offering big frame stability and lightness which allows a very distinguished esthetic.
- ② 50x40mm warm steel frame profile 2 mm thick, with a new system for quick assembling allowing a very strong stability by using minimum quantity of screws.
- 3 Table surface made out of 25mm MFC with round corners. 2mm thick ABS edge.
- 4 Several screen options available (see accessories).
- 5 Several cable managing options available (see accessories).
- 6 ABS levellers with anti-skid pad.

CONFIGURATION EXAMPLES





07

TWIST - GEN





■ FEATURES

- ① Cast aluminium legs offering offering big frame stability and lightness which allows a very distinguished esthetic.
- 2 50x40mm warm steel frame profile 2 mm thick, with a new system for quick assembling allowing a very strong stability by using minimum quantity of screws.
- 3 120 degree tops which allow linking desks and create a very new working concept. Table surface made out of 25mm MFC with round corners. 2mm thick ABS edge.
- 4 Several screen options available (see accessories).
- 5 Several cable managing options available (see accessories).
- 6 ABS levellers with anti-skid pad.
- Tending MFC pedestal with both sides access.
- 8 Steel mobile pedestals with castors. Top cushion available in a wide range of fabrics.
- Middle extension / desk return / meeting table.
- Central support leg for configurations with desk returns


CONFIGURATION EXAMPLES








TWIST - GEN 80



TWIST - GEN 100



TWIST - VIDEO-CONFERENCE



FEATURES

- ① Cast aluminium legs offering offering big frame stability and lightness which allows a very distinguished esthetic.
- ② 50x40mm warm steel frame profile 2 mm thick, with a new system for quick assembling allowing a very strong stability by using minimum quantity of screws.
- Trapezoidal top allows all users to be more connected and closed during meetings. Table surface made out of 25mm MFC with round corners. 2mm thick ABS edge.
- 4 Steel footrest finished in Chrome (always) only for 100cm height desks.
- 5 Several cable managing options available (see accessories).
- 6 ABS levellers with anti-skid pad.
- MFC with aluminium frame "TV" panel fixed on table. "TV and wiring not included".
- 2 ABS levellers with anti-skid pad for fixed TV Panel.

Optional conexion:

SCREEN WITHOUT POWER FRAME

It includes:

- **EU**: 3 power modules GX30 + Cable with Power GX21
- **UK**: 3 power modules GX30L + Cable with Power GX21L
- **US**: 3 power modules GX30D + Cable with Power GX21D
- 2 USB- 3.0 elbow
- 2 HDMI elbow
- 4 adhesive support for cables
- 1 screw kit

SCREEN WITH POWER FRAME

It includes:

- **EU**: 3 power modules GX30 + Cable with Power GX21
- **UK**: 3 power modules GX30L + Cable with Power GX21L
- **US**: 3 power modules GX30D + Cable with Power GX21D
- 2 USB 3.0 elbow
- 2 HDMI elbow
- 4 adhesive support for cables
- 1 screw kit
- Power Frame 2 types:
 - For Dedicated CPU
 - -2 USB 3.0 + HDMI + Power
 - Without Dedicated CPU - HDMI + 2 powers
- Fixing points for monitors as per VESA 200, 300 and 400. Interior fixing points for CPU (As per VESA 75 and 100).

NOTE: Computers and/or Televisions are not included in the price.

CONFIGURATION EXAMPLES









TWIST

TWIST - VIDEO-CONFERENCE - ELECTRONIC DEVICES

SCREEN WITHOUT POWER FRAME




SCREEN WITH POWER FRAME NO CPU (HDMI + SCHUKO)



SCREEN WITH POWER FRAME WITH CPU (not included)

(HDMI + USB + SCHUKO)



• CAPTION

000

HDMI 1 (This cable connects TV to Power frame)

HDMI 2 (This cable connects TV to CPU)

 ${\sf TV} \; {\sf ELECTRICITY} \; ({\sf this} \; {\sf cable} \; {\sf connects} \; {\sf TV} \; {\sf to} \; {\sf electricity})$

CPU ELECTRICITY (this cable connects CPU to electricity)

USB – 2 UDS. (These cables connect CPU with power frame)

WEBCAM (This cable connects webcam with CPU)

GENERAL ELECTRICITY (This cable connects multiple connector to electricity)

CABLE RED (This cable connects CPU to Ethernet point)

PF ELECTRICITY (This cable connects power frame to GX30)

 $\ensuremath{\mathsf{GX30}}$ (Located where power frame is connected, tv and the CPU electricity, in the panel)

11

POWER FRAME: USB (2ud) + HDMI (1ud) + Shuko (1ud). (Devices are connected outwardly. HDMI of the tv and 2 USB are connected to CPU inwardly).

— www.actiu.com —



FEATURES

- •• Aluminium profile 2mm thick by 7cm width. Available in
- 2 10mm thick MFC panels in white and black. Hollow internal steel structure to house cables and connections (* TV screen, cables and connections not included)
- 3 Steel support base in white or black epoxy paint.
- 4 black castors Ø45mm with Teflon tyre thread.
- 5 Fixing points for monitors as per VESA 200, 300 and 400:
 - Monitor can be fixed in 4 different positions with a distance between them of 2.5cm.(Total:10cm)
 - Height from monitor center in relation to the screen:
 - Min: 125 cm - Max: 135 cm
- 6 2 Models: Video-Conference caddy with or without POWER FRAME connection.
- Hanging support on rear back of the caddy for cables.
- Includes small opening on back panel to drive cable
- 100 Interior fixing points for PC (As per VESA 75 and 100)

■ FINISHES

Aluminium profile Steel base

White White



White Black



Detail of the cable tie on the Power Frame. back panel



2 plugs + HDMI



Power Frame. 1 plug + 2 USB + HDMI



Small opening on back panel for leads.

■ TECHNICAL FEATURES



CADDY WITHOUT POWER FRAME

It includes:

- EU: 3 power modules GX30 + Cable with Power GX21
- UK: 3 power modules GX30L + Cable with Power GX21L
- US: 3 power modules GX30D + Cable with Power GX21D
- 2 USB- 3.0 elbow
- 2 HDMI elbow
- 4 adhesive support for cables
- 1 screw kit




CADDY WITH POWER FRAME


It includes:

- EU: 3 power modules GX30 + Cable with Power GX21
- UK: 3 power modules GX30L + Cable with Power GX21L
- US: 3 power modules GX30D + Cable with Power GX21D
- 2 USB 3.0 elbow
- 2 HDMI elbow
- 4 adhesive support for cables
- 1 screw kit
- Power Frame 2 types:
 - With Dedicated CPU -2 USB - 3.0 + HDMI + Power
 - Without Dedicated CPU - HDMI + 2 powers


NOTE: Computers and/or Televisions are not included in the price.

DIMENSIONS





MONITOR SHIFT RANGE




13

CADDY - ELECTRONIC DEVICES

CADDY WITHOUT POWER FRAME

CADDY WITH POWER FRAME NO CPU (HDMI + SCHUKO)

CADDY WITH POWER FRAME WITH CPU (not included) (HDMI + USB + SCHUKO)



• CAPTION

HDMI 1 (This cable connects TV to Power frame)

HDMI 2 (This cable connects TV to CPU)

TV ELECTRICITY (this cable connects TV to electricity)

• CPU ELECTRICITY (this cable connects CPU to electricity)

USB – 2 UDS. (These cables connect CPU with power frame)

WEBCAM (This cable connects webcam with CPU)

GENERAL ELECTRICITY (This cable connects multiple connector to electricity)

CABLE RED (This cable connects CPU to Ethernet point)

PF ELECTRICITY (This cable connects power frame to GX30)

GX30 (Located where power frame is connected, tv and the CPU electricity, in the panel)

POWER FRAME: USB (2ud) + HDMI (1ud) + Shuko (1ud). (Devices are connected outwardly. HDMI of the tv and 2 USB are connected to CPU inwardly).

— www.actiu.com —

TWIST - SPINE



■ SPINE FEATURES

- ① Filing cabinet support available for single and twin desks. Trapezoidal top's shape. The support cabinet system of the desk allows it to turn around (only for single desks).
- ② Solid aluminium legs injection by offering big frame stability and lightness which allows a very distinguished esthetic.
- 3 50x40mm warm steel frame profile 2 mm thick, with a new system for quick assembling allowing a very strong stability by using minimum quantity of screws.
- 4 Table surface made out of 25mm MFC with round corners. 2mm thick ABS edge..
- 5 Double access for cables allows using it by two sides (optional).
- 6 Several screen options available (see accessories).
- 7 Several cable managing options available (see accessories).
- 8 ABS levellers with anti-skid pad.
- 1 MFC filing cabinet. The frame is made of 19mm melamine.
- 2 2 removable drawers + 1 removable filing drawer
- 3 Easy integrated system for cable management.
- Moulded aluminium handle.
- 6 MFC triangular connection module between cabinets allows different possibilities and type of configurations.
- 6 ABS levellers with anti-skid pad..
- **7** Optional cushions to place in the Spine cabinet.

■ CONFIGURATION EXAMPLES







TWIST - SPINE



■ SPINE FEATURES

- 1 Filing cabinet support available for single and twin desks. Trapezoidal top's shape.
- 2 Solid aluminium legs injection by offering big frame stability and lightness which allows a very distinguished esthetic.
- 3 50x40mm warm steel frame profile 2 mm thick, with a new system for quick assembling allowing a very strong stability by using minimum quantity of screws.
- 4 Table surface made out of 25mm MFC with round corners. 2mm thick ABS edge...
- 5 Double access for cables allows using it by two sides (optional).
- 6 Several screen options available (see accessories).
- The several cable managing options available (see accessories).
- 8 ABS levellers with anti-skid pad.
- MFC filing cabinet. The frame is made of 19mm melamine. Two models are available:
 - Individual module: 180 x 40 x 61 cm Compartment using one side.
 - Double module: 180 x 80 x 61 cm Compartment using 2 sides.
- 2 Interior shelves 19 mm melamine.
- Top cover in 25 mm melamine, veneered soft edges for added safety and durability.
- ② 2 models of reversible fronts: Sliding melamine 16 mm door and Filing drawer with metal tray and melamine 16 mm front.
- 6 Hollow interior for continuous electrification with access to it from the top using folding doors.
- 6 Die Cast aluminum feet with PVC anti-skid pad.
- Optional: Screens, Overhead storage and Auxiliary Pedestals.

CONFIGURATION EXAMPLES









CABLE MANAGEMENT

Twist is available with several cable management options.



Steel metal channel 0,8 mm to 1 mm thick, large capacity for double desks.



Steel metal channel 0,7 mm to 1 mm thick for individual desk.



Metallic cable box container.



Polystyrene cable riser.



Free standing metal cable riser.

Special cable access available for projects



Push Latch "T" access.



"U" Access.



Integrated "M" access.



"Y" access.



"W" access.

SCREENS

TWIST offers a big variety of screens: all upholstered panels, with aluminium tool rails allowing accessories, acoustic or glazed. TWIST also offers sliding and independent screens for desktops without any kind of fixation but with big stability.



Desktop fixed screens.





Free standing screen.

■ MODESTY PANEL



Metallic or MFC.

■ CPU HOLDER



CPU holder of 25-30 x 49 cm and 1,5 mm thick.

FINISHES









14 Dark Oak



08 Black





Glass



Estructure



Silver











MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

22,83% RECYCLED



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100% ALUMINIUM, STEEL & W00D



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

PACKAGE AND THINNER **FRFF**



USE

Quality and warranty. Long lasting. Replacements available.

EASY TO CLEAN AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

97,73% RECYCLABLE MATERIALS

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of responsable forestry



PEFC Certificate



EN ISO 14006:2011

ECODESIGN Certificate



UNE-EN ISO 9001:2008

ISO 9001 Certificate



UNE-EN ISO 14001:2004





E1 Certificate by EN 13986



ACTIU TECHNOLOGY PARK LEED® PLATINUM certified by USGBC Leadership in Energy & Environmental Design LEED* Gold certified 2011 · LEED* Platinum certified 2017